

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 02/01/2015 Supersedes: 12/30/2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Mixture

: Oxidizer

1.1. Product identifier

Trade name Product form : Fremont 9918 Closed System Treatment

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

1.3. Details of the supplier of the safety data sheet

FREMONT INDUSTRIES, INC. 4400 Valley Industrial Blvd. N. P.O. Box 67 Shakopee, MN 55379-0067

1.4. Emergency telephone number

Emergency number

: (952) 445-4121 CHEMTREC: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

 Met. Corr. 1
 H290

 Acute Tox. 4 (Oral)
 H302

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)

	GHS05 GHS07
Signal word (GHS-US)	· Warning
Hazard statements (GHS-US)	 H290 - May be corrosive to metals H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P234 - Keep only in original container P261 - Avoid breathing fume, mist P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear eye protection, protective gloves P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work on this label) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P390 - Absorb spillage to prevent material damage

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P406 - Store in corrosive resistant/... container with a resistant inner liner P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Sodium nitrite	(CAS No) 7632-00-0	10 - 30
Sodium hydroxide	(CAS No) 1310-73-2	1 - 5
Maleic acid	(CAS No) 110-16-7	0.1 - 1
2-Butenedioic acid (Z)-, homopolymer	(CAS No) 26099-09-2	0.1 - 1
1,2,3-Benzotriazole	(CAS No) 95-14-7	0.1 - 1

SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	 If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person. 	
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.	
First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.	
First-aid measures after eye contact	 IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing. 	
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries	: Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Symptoms/injuries after ingestion	: Harmful if swallowed.	

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Foam. Dry powder. Sand. Water spray.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Product is not flammable.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	easures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. Fo	or non-emergency personnel			
Protective ec	quipment	: Wear Protective equ	ipment as described in Section 8.	
Emergency p	procedures	: Evacuate unnecess	ary personnel.	
6.1.2. Fo	or emergency responders			
Protective ec	quipment	: Wear suitable protect respirator, in case o	tive clothing, gloves and eye or face protection. Approved supp emergency.	lied-air
6.2. En	nvironmental precautions			
Prevent entr	y to sewers and public waters. Notify	authorities if liquid ente	rs sewers or public waters. Avoid release to the environment.	
6.3. Me	ethods and material for containme	ent and cleaning up		
or containm	nent		th dikes or absorbents to prevent migration and entry into sewe hovel spills into appropriate container for disposal.	rs or
Methods for	cleaning up	earth as soon as po waste regulations (s	slip hazard . Soak up spills with inert solids, such as clay or diat ssible. Place in a suitable container for disposal in accordance v ee Section 13). Wash spill area thoroughly with plenty of soap a s, apply additional dry-sweeping compound.	vith the
6.4. Re	eference to other sections			
No additiona	al information available			
SECTION	7: Handling and storage			
7.1. Pr	ecautions for safe handling			
Precautions	for safe handling		Il safety precautions have been read and understood. Wash ha	
		other exposed areas leaving work. Provid breathe vapours, mi falls.	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp	nd when ur. Do not
7.2. Co	onditions for safe storage, includi	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond	onditions for safe storage, includi	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp	nd when ur. Do not
7.2. Co Storage cond Storage temp	onditions for safe storage, includi ditions perature	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond Storage temp SECTION	onditions for safe storage, includi	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m³) OSHA PEL (TWA) (mg/m³)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³) OSHA PEL (TWA) (mg/m ³) OSHA PEL (Ceiling) (mg/m ³)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m³) OSHA PEL (TWA) (mg/m³) OSHA PEL (Ceiling) (mg/m³) Maleic acid (110-16-7)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³) OSHA PEL (TWA) (mg/m ³) OSHA PEL (Ceiling) (mg/m ³) Maleic acid (110-16-7) Remark (ACGIH)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	 with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapoust. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use. 	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³) OSHA PEL (TWA) (mg/m ³) OSHA PEL (Ceiling) (mg/m ³) Maleic acid (110-16-7) Remark (ACGIH) Remark (OSHA)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	 with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapoust. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use. 	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³) OSHA PEL (TWA) (mg/m ³) OSHA PEL (Ceiling) (mg/m ³) Maleic acid (110-16-7) Remark (ACGIH) Remark (OSHA) Sodium nitrite (7632-00-0)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s ntilated area. Keep container closed when not in use.	nd when ur. Do not
7.2. Co Storage cond Storage temp SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m³) OSHA PEL (TWA) (mg/m³) OSHA PEL (Ceiling) (mg/m³) Maleic acid (110-16-7) Remark (ACGIH) Remark (OSHA) Sodium nitrite (7632-00-0) Remark (ACGIH)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s mtilated area. Keep container closed when not in use. 2 2 2 0 CLs not established OELs not established OELs not established OELs not established	nd when ur. Do not
7.2. Co Storage cond Storage tem SECTION	onditions for safe storage, includi ditions perature 8: Exposure controls/pers ontrol parameters Sodium hydroxide (1310-73-2 ACGIH Ceiling (mg/m ³) OSHA PEL (TWA) (mg/m ³) OSHA PEL (Ceiling) (mg/m ³) Maleic acid (110-16-7) Remark (ACGIH) Remark (OSHA) Sodium nitrite (7632-00-0) Remark (ACGIH) Remark (OSHA)	other exposed areas leaving work. Provid breathe vapours, mi falls. ng any incompatibilitie : Store in dry, well-ve : room temperature onal protection	with mild soap and water before eating, drinking or smoking ar e good ventilation in process area to prevent formation of vapou st. Avoid spilling the product, as this might cause danger of slipp s mtilated area. Keep container closed when not in use. 2 2 2 0 CLs not established OELs not established OELs not established OELs not established	nd when ur. Do not

8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

- Personal protective equipment
- : Gloves. Protective goggles. Protective clothing.



- : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.
- : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.

Eye protection

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection	: Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.
Respiratory protection	: Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: Red.	
Odor	: No data available	
Odor Threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 100 °C (212 °F)	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.11 (H ₂ O = 1)	
Solubility	: Water: 100 %	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Chlorates. Hyposulfites. Permanganate. Ammonium. Reducing agents. May be corrosive to metals.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Nitrogen oxides. sulfur oxides.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Harmful if swallowed.
Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
Maleic acid (110-16-7)	
LD50 oral rat	708 mg/kg
LD50 dermal rabbit	1560 mg/kg
LC50 inhalation rat (mg/l)	> 720 mg/m³ 1 h

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium nitrite (7632-00-0)		
LD50 oral rat	85 mg/kg	
LC50 inhalation rat (mg/l)	5.5 mg/l/4h	
ATE CLP (oral)	85.000 mg/kg bodyweight	
ATE CLP (vapours)	5.500 mg/l/4h	
ATE CLP (dust,mist)	5.500 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Symptoms/injuries after ingestion	: Harmful if swallowed.	

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: No information available.
Sodium nitrite (7632-00-0)	
LC50 fishes 1	0.19 mg/l 96 Hr Oncorhynchus mykiss [flow-through] (juvenile)
LC50 fish 2	0.092 - 0.13 mg/l 96 Hr Oncorhynchus mykiss [flow-through]
12.2. Persistence and degradability	
Fremont 9918 Closed System Treatment	
Persistence and degradability	No information available.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.
SECTION 14: Transport information	n
In accordance with DOT	
Not hazardous for transport	
Additional information	
Other information	: No supplementary information available.
Transport by sea	

No additional information available

Air transport

No additional information available

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Prepared according to Federal Register / Vol. 77, No. 58 /	Monday, March 26, 2012 / Rules and Regulations
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Fremont 9918 Closed System Treatment	
•	d in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Sodium hydroxide (1310-73-2)	
RQ (Reportable quantity, section 304 of EPA's	1000 lb
List of Lists) :	
Maleic acid (110-16-7)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb Final
Sodium nitrite (7632-00-0)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	100 lb
SARA Section 313 - Emission Reporting	1 % de minimis concentration
15.2. International regulations No additional information available.	
15.3. US State regulations	
California Proposition 65	
This product does not contain any substances know	own to the state of California to cause cancer and/or reproductive harm
Sodium hydroxide (1310-73-2)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) List	bstance List
Maleic acid (110-16-7)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Envir	
Sodium nitrite (7632-00-0)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su U.S Pennsylvania - RTK (Right to Know) - Envir	
1,2,3-Benzotriazole (95-14-7)	
U.S Massachusetts - Right To Know List	
SECTION 16: Other information	
Indication of changes	: Revision 1.0: New SDS Created.
Revision date	: 12/11/2014
Other information	: Author: BCS.
NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt
	medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	\sim
Health	: 2
Flammability	: 0
Physical	: 0
Personal Protection	:

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FREMONT'S PRODUCTS ARE SOLD "AS IS." FREMONT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO ITS PRODUCTS OR RELATED SERVICES. ALL SUCH EXPRESS AND IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE SPECIFICALLY DISCLAIMED.